



RELIABLE MOUNTS. SINCE 1930.



2008 REFERENCE CHARTS

GRAND SLAM™

DOVETAIL RING HEIGHT GUIDE

RING SIZE	SADDLE HEIGHT	FITS OBJECTIVE LENS SIZE
1" LOW	0.150	UP TO 40MM
1" MEDIUM	0.270	THRU 42MM
1" HIGH	0.400	THRU 44MM
1" EXTRA HIGH	0.520	THRU 50MM
30MM MEDIUM	0.320	THRU 40MM
30MM HIGH	0.490	THRU 44MM
1" MED .22 RINGS	0.262	THRU 36MM
1" HIGH .22 RINGS	0.392	THRU 40MM
1" EXTRA HIGH .22 RINGS	0.512	THRU 42MM
1" MED, MOD. 77/22 & NO.1	0.453	
1" MED, MOD. 77	STEPPED	
1" HIGH, MOD. 77	STEPPED	

DETACHABLE

TOP MOUNT HEIGHT GUIDE

RING SIZE	SADDLE HEIGHT	FITS OBJECTIVE LENS SIZE
1" LOW	0.089	THRU 38MM
1" MEDIUM	0.169	THRU 40MM
1" HIGH	0.332	THRU 44MM
1" EXTRA HIGH	0.560	THRU 50MM
1" SEE-THRU	0.750	THRU 50MM
30MM LOW	0.288	THRU 33MM
30MM HIGH	0.500	THRU 44MM
1" TIP-OFF	0.25	THRU 36MM
1" TIP-OFF SEE-THRU	0.750	THRU 50MM

TACTICAL MULTI SLOT BASES

48330	MULTI SLOT REMINGTON 700 BASE
48331	MULTI SLOT SKS BASE (STEEL)
48332	MULTI SLOT BASE MINI 14/NO RINGS
48333	MULTI SLOT MOSSBERG 590 BASE
48338	MULTI SLOT SAV ACCU-SA
48337	MULTI SLOT WIN 1300
48335	MULTI SLOT RUGER 10/22
48336	MULTI SLOT REM 597

GRAND SLAM™ STEEL TOP MOUNT BASES

48223	S25	48231	S55
48224	S35	48234	S61
48225	S36	48241	S91
48243	S40A	48247	S402
48226	S45	48249	S430
48227	S46	48275	S459
48228	S47	48276	S460
48244	S49A	48282	S466
48230	S54		

GRANDSLAM STEEL - DOVETAIL BASES

48964	2PC ANSCHUTZ BLACK	48916	1PC MAUSER 98 BLACK	48906	2PC SAV 110 LA/SA ACU-TRIGGER MATTE
48904	2PC BR-A-BOLT LA/SA BLACK	48910	2PC MAUSER 98 BLACK	48918	1PC SAV 110 LA BLACK
48905	2PC BR-A-BOLT LA/SA MATTE	48900	2PC REM 700 LA/SA & HOWA/VANGUARD	48920	1PC SAV 110 SA BLACK
48922	1PC BR-A-BOLT LA	48901	2PC REM 700 LA/SA & HOWA/VANGUARD MATTE	48966	1PC SPRINGFIELD BLACK
48923	1PC BR-ABOLT LA MATTE	48971	2PC REM 700 LA/SA & HOWA/VANGUARD NKL	48968	1PC SPRINGFIELD 03A BLACK
48924	1PC BR-A-BOLT SA	48912	1PC REM 700 LA & HOWA/VANGUARD	48926	1PC TC ENCORE
48925	1PC BR-ABOLT SA MATTE	48913	1PC REM 700 LA & HOWA/VANGUARD MATTE	48976	2PC WEATHERBY MARK V BLACK
48932	1PC BR-MARK II BLACK	48930	1PC REM 700 SA BLACK	48908	2PC WIN 70 (.860 SPACING) BLACK
48933	1PC BR-MARK II MATTE	48931	1PC REM 700 SA MATTE	48909	2PC WIN 70 (.860 SPACING) MATTE
48911	2PC BR WSSM MATTE	48948	1PC REM 760	48934	2PC WIN 70 (.435 SPACE & PRE-64) BLACK
48960	2PC COLT SAUER BLACK	48978	1PC REM 788 LA BLACK	48935	2PC WIN 70 (.435 SPACE & PRE-64) MATTE
48970	2PC CVA BLACK	48946	1PC REM 788 XLA BLACK	48907	2PC WIN 70 WSSM MATTE
48974	1PC HUSQVARNA BLACK	48914	1PC REM 7400, 4&6	48940	1PC WIN 70 SA-1984 BLACK
48928	1PC MARLIN 336	48915	1PC REM 7400, 4&6 MATTE	48936	1PC WIN 70 (PRE-64) BLACK
48929	1PC MARLIN 336 MATTE	48962	2PC SAKO BLACK	48938	1PC WIN 70 (.860 SPACE) BLACK
48954	1PC MAUSER FN BLACK	48956	1PC SAV 99 BLACK	48942	1PC WIN 88, 100 BLACK
48952	2PC MAUSER FN BLACK	48902	2PC SAV 110 LA/SA BLACK	48944	1PC WIN 94-AE BLACK
48958	1PC MARLIN 1894 BLACK	48903	2PC SAV 110 LA/SA MATTE		
48950	1PC MAUSER SM 95 BLACK	48972	2PC SAV 110 LA/SA NKL		

TOP MOUNT ALUMINUM BASES

48011	11	48028	28	48044	44	48059	59	48075	75	48093	93	48000	407S	48435	418M
48012	12	48029	29	48045	45	48064	60A	48076	76	48094	94	48112	408	48453	418S
48013	13	48030	30	48510	45S	48061	61	48079	79	48095	95	48513	410	48437	419M
48014	14	48031	31	48046	46	48060	61A	48080	80	48096	96	48452	410S	48438	420M
48015	15	48032	32	48004	6S	48002	61S	48081	81	48097	97	48632	411	48439	420S
48016	16	48035	35	48502	46M	48504	61M	48082	82	48098	98	48633	411S	48444	421M
48017	17	48006	35S	48047	47	48062	62	48083	83	48099	99	48512	412S	48443	423M
48018	18	48500	35M	48003	47S	48069	63B	48084	84	48109	401	48425	413	48446	424
48019	19	48036	36	48503	47M	48447	63BS	48085	85	48001	401S	48441	413S	48445	424M
48020	20A	48005	36S	48048	48	48065	65	48086	86	48108	402	48442	413M	48450	427
48021	21	48501	36M	48049	49A	48067	67	48087	87	48429	402M	48426	414M	48451	428
48022	22	48039	39	48050	50	48068	68	48088	88	48430	402S	48427	414S	48454	429M
48023	23	48040	40A	48053	53	48070	70	48073	89	48107	403	48431	415	48506	93AM
48024	24	48428	40AM	48054	54	48071	71	48090	90	48106	404	48432	415M	48455	430AM
48025	25	48041	40AS	48055	55	48010	71A	48091	91	48105	405	48433	415S		
48026	26	48042	42	48057	57	48072	72	48092	92A	48110	406	48434	416M		
48027	27	48043	43	48058	58	48074	74	48007	92AS	48111	406	48440	417M		



WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD			EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
REAR	FRONT		1-PC	REAR	FRONT	REAR	FRONT			REAR	FRONT	REAR	FRONT		
ANSCHUTZ															
▶ MARK 12			16	16											
▶ 54, 54MS, 64, 64MS, 164, 1400 SERIES, 1500 SERIES			91	91						S91	S91			48964	
▶ 153 DELUXE			19	19											
▶ 1568			61	46			402		1						
▶ MATTE			61M	46M			402M	49717		S61	S46		S402		
▶ SILVER			61S	46S			402S	49729							
AUTO SHOTGUNS															
▶ ALL AUTOS EXCEPT REM 11-48, 11-87, 1100, SPTSMN 48		4							7						
BENELLI															
▶ NOVA SHOTGUN (MATTE)						423M									
▶ SUPER BLACK EAGLE, SUPER BLACK EAGLE II, M1 & M2 FIELD GUNS						93AM									
BERETTA															
▶ MATO RIFLE			49A	46						S49A	S46				
▶ PINTAIL SLUG GUN			35	35		40A	40A								
▶ MATTE			35M	35M		40A-M	40A-M			S35	S35	S40A	S40A		
▶ SILVER			35S	35S		40A-S	40A-S								
BRITISH 303															
WITH ENFIELD ACTION		4, 15				TO-1									
BROWNING															
▶ 1885 HIGH WALL (OCTAGON BARREL)		1, 3	11	29											
▶ 22 AUTO		18				60A									
▶ SAKO ACTIONS IN 243, 308, 22-250, 222 & 222 MAG.			72	71											
▶ A-BOLT, A-BOLT 22 STALKER; MEDALLION			47	47				49719						48922 L/A 48904	
▶ BLACK														48924 S/A 48904	
▶ MATTE			47M	47M						S47	S47			48923 L/A 48905	
▶ MATTE														48925 S/A 48905	
▶ SILVER			47S	47S											
▶ A-BOLT SHOTGUN															
▶ MATTE			47M	419M											
▶ A-BOLT (EUROPEAN MODEL), MOD 52, 52C		5	85	85											
▶ BOLT ACTION BBR, HI-POWER, OTHER CAL. (OLDER MOD.)			45	46			402	49721	5	S45	S46		S402		
▶ SILVER			45S	46S			402S								
▶ BAR, BAR II, MARK II, BLR LIGHTNING (LEVER), BPR		5	54	54				49720						48932	
▶ MATTE										S54	S54			48933	
▶ BLR (LEVER ACTION)			25	25						S25	S25				
▶ BLR WITH FLAT TOP RECEIVER (OLDER MODELS)			28	28											
▶ BBR (BOLT ACTION), LONG & SHORT ACTIONS			47	46			402	49718		S47	S46		S402		
▶ MATTE			47M	46M			402M								
▶ SILVER			47S	46S			402S								
▶ A-BOLT WSSM			427	47										48911	
BSA															
▶ MONARCH MEDIUM ACTION IN 222, 243 & 308		25	36	35	97		40A								
▶ MATTE			36M	35M			40A-M	49712		S36	S35		S40A		
▶ SILVER			36S	35S			40A-S								
▶ CF2, MONARCH LONG ACTION IN 7MM, 270 & 30-06		25	36	35	98		40A								
▶ MATTE			36M	35M			40A-M	49712		S36	S35		S40A		
▶ SILVER			36S	35S			40A-S								
▶ OTHER HIGH-POWERS			28	28											
CARCANO															
▶ CARCANO		4, 6							1						
CARL GUSTAF															
▶ MOD 2000										S460	S460				
CHURCHILL															
▶ HIGHLANDER			36	35			40A								
▶ MATTE			36M	35M			40A-M	49712		S36	S36		S40A		
▶ SILVER			36S	35S			40A-S								
▶ CIL															
▶ 830									1						



WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES				STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD		EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
REAR	FRONT		1-PC	REAR	FRONT	REAR			FRONT	REAR	FRONT	REAR		
MARLIN (CONTINUED)														
▶ 88, 89 & 98			18	18				2						
▶ 80, 81 & 980			12	12				2						
▶ 455			45	46			49721	5	S45	S46		S402		
▶ SILVER			45S	46S			402S							
▶ 512 SLUG MASTER & 55 (DRILL & TAP) (MATTE)								10M						
▶ 60, 990L, 70, 995, 882, 25MN, 883		12												
▶ MR7			47	46			402							
▶ MATTE			47M	46M			402M		S47	S46		S402		
▶ SILVER			47S	46S			402S							
▶ MLS-50 & MLS-54, (BASES SOLD 2/PACK)			406	406										
▶ SILVER			406S	406S										
▶ 1894						63B							48958	
▶ 900 SERIES IN .17 & .22 CALIBERS		12												
MAUSER														
▶ RECEIVER RING ABOUT 1.410" DIAMETER (98FN)		1, 2	45	46			402	49721	5	S45	S46		S402	48954 48952
▶ SILVER			45S	46S			402S							
▶ RECEIVER RING ABOUT 1.300" DIAMETER (SWEDISH 96)		1, 2	55	46			402		1	S55	S46		S402	48950
▶ BAUER 3000 & 4000			68	46			402							
▶ MARK X		1	55	20A										
▶ 98													48916	48910
MOSSBERG														
▶ 25, 26, 42, 46M, 140, 142 & 146, 45-46 W/ 3/4" DIA. BBLs			12	13					2					
▶ 40			16	21					2					
▶ 43, 44, 144, 46BT & 35			12	16					2					
▶ 45, 46 EARLY MODELS WITH 13/16" DIA. BBLs			12	16					2					
▶ 320, 340, 342 & 620			21	21					2					
▶ 640						63B		49713						
▶ 680, 800 & 695-SHOTGUN (USE DUAL EXTENSION RINGS)			55	55						S55	S55			
▶ 50, 51, 151, 152, 350 & 352			12	12					2					
▶ 400			20A	42										
▶ 472, 479 & 679						80								
▶ 500AS (PRE 1997) & 600 SHOTGUNS						88								
▶ 500 (1997+), 590 & 835 SHOTGUNS (MATTE)		25				417M								
▶ 810 & RM7			25	11										
▶ 100 ATR, 1500, 1700			36	35			40A						48912	48900
▶ MATTE			36M	35M			40A-M	49712		S36	S35		S40A	48913 48901
▶ SILVER			36S	35S			40A-S							
▶ 935 (MATTE)						430M								
MUSGRAVE														
▶ MARK I & MARK II			54	46			402			S54	S46		S402	
▶ MARK III & MARK IV			45	46			402	49721		S45	S46		S402	
▶ SILVER			45S	46S										
NAVY ARMS														
▶ COUNTRY BOY MUZZLELOADER			46	46	53	402	402							
▶ MATTE			46M	46M		402M	402M	49725		S46	S46	S402	S402	
▶ SILVER			46S	46S		402S	402S							
NEW ENGLAND FIREARMS (H & R)														
▶ HANDY RIFLE, HORNET (USE EXTRA HIGH RINGS)						82								
▶ N.E.F. 10 GAUGE SHOTGUN			19	19										
▶ HUNTSMAN MUZZLELOADER		8				82								
NEW HAVEN														
▶ 495B (MATTE)									10M					
NORINCO														
▶ 22 AUTO (REPLICA OF BROWNING 22 AUTO)		18				60A								
▶ JW-15		12												
OCTAGON BARREL OR FLAT TOP RECEIVERS														
▶ CAN BE FITTED WITH THE FOLLOWING BASES:			61	61	50									
PARKER-HALE														
▶ 1000, 1000C, 1100, 1200 & 1700			45	46			402	49721		S45	S46		S402	



WEAVER® MOUNT APPLICATIONS CHART	NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES		
		STANDARD			EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC	
		REAR	FRONT	1-PC	REAR	FRONT			REAR	FRONT	REAR	FRONT			
PARKER-HALE (CONTINUED)															
▶ SILVER		45S	46S			402S									
▶ 2600		71	85												
▶ MIDLAND		71	75												
PEDER SOLI															
▶ LIGHTNING		75	75												
PUMP SHOTGUNS															
▶ ALL PUMPS EXCEPT WIN. 42	4							8							
RAPTOR ARMS															
▶ SAME AS REMINGTON 700 LONG ACTION	25	36	35	98		40A		1	S36	S35		S40A			
▶ MATTE		36M	35M			40A-M	49712		S36	S35		S40A			
▶ SILVER		36S	35S			40A-S									
REMINGTON															
▶ 700, 78, 40X-L, 721 & 725 (ALL LONG ACTIONS)	25	36	35	98		40A		1					48912	48900	
▶ MATTE		36M	35M			40A-M	49712		S36	S35			48913	48901	
▶ SILVER		36S	35S			40A-S							48971		
▶ 700, 78, 40X-S, 722 & 725 (ALL SHORT ACTIONS), 700 MZL. LDR.	25	36	35	97		40A		1	S36	S35		S40A	48930	48900	
▶ MATTE		36M	35M			40A-M	49712		S36	S35		S40A	48931	48901	
▶ SILVER		36S	35S			40A-S									
▶ 710		71	71												
▶ 788 ALL CALIBERS		76	75												
▶ 788 IN .222 MAG, .22/250, .30/30 CAL													48978		
▶ 788 IN .243, 6MM, .308 CAL													48946		
▶ 7 W/3 HOLES, 600, 660, XP-100 XR-100				70				1							
▶ 7 W/4 HOLES (NEW IN 1999), 673 (MATTE)		421M	35M						S430	S460					
▶ 740, 742 & 760				62			49715						48948		
▶ 4, 6, 74, 76, 7400, 7600 750				93			49714						48914		
▶ MATTE													48915		
▶ 8 & 81								7							
▶ 10, 11, 12, 34*, 341*, 510, 511, 512 & 521T	6	43	42					2							
▶ 12A, 121 WITH 3/4" DIAMETER BARRELS		18	13					2							
▶ 121 WITH 13/16" DIAMETER BARRELS		18	17					2							
▶ 12C OCTAGON BARREL		18	31												
▶ 14 & 141		20A	27												
▶ 41	6	17	17					2							
▶ 24 & 241	18			60A											
▶ 25		18	21					2							
▶ 30 & 720		11	11					1							
▶ 33	6	17	13					2							
▶ 513S & 513T		43	44					2							
▶ 514		16	21					2							
▶ 514 (NOT DRILLED & TAPPED) & 550	4	12	12												
▶ 541S & 541T		15	15												
▶ 522 VIPER	11														
▶ 5, 552, 572 & 581(S)	12														
▶ 597, 597LSS (MATTE)	25			414M											
▶ SILVER				414S											
▶ 798		55	20A												
▶ 799		71A	23												
▶ 870, 1100, 11-87 SHOTGUNS (FOR CONVERTA MOUNT SYSTEM)	24			429M											
▶ 11-48, 1100, SPORTSMAN 48 & 58 SHOTGUNS								8							
▶ GENISIS		418M	418M												
ROSSI (ALSO SEE INTERARMS)															
▶ .410/.22 LR & .410/.17 HMR SMALL FRAME MATCHED PAIR COMBOS ONLY	7			92A											
RUGER															
▶ NO. 1	1, 3, 4	85	89												
▶ NO. 3	1, 3, 4	85	86												
▶ 10/22 IN 22 LONG RIFLE CAL. (GROOVED & DRILLED)	16			T0-9											
▶ MATTE	16, 25			T0-9M			49711								
▶ SILVER	16			T0-9S			49734								



WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES				STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD		EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
REAR	FRONT		1-PC	REAR	FRONT	REAR			FRONT	REAR	FRONT	REAR		
RUGER (CONTINUED)														
▶ 10/22 MAG & 77/22 (W/BUILT-IN INTEGRAL MOUNTS), 77-50 ML						49723								
▶ SILVER						49735								
▶ 96/22 & 96/22 MAGNUM		16												
▶ 44 CARBINE MAGNUM DEERSTALKER			47	68	T0-11									
▶ M77 (ROUND TOP DRILLED)			79	35								48912	48900	
▶ MATTE												48913	48901	
▶ M77, (W/BUILT-IN INTEGRAL MOUNTS)						49724								
▶ SILVER						49732								
▶ MINI 14 RANCH & MINI 30 (W/BUILT-IN INTEGRAL MOUNT)						49723								
▶ SILVER						49735								
▶ MINI 14-NO INTEGRAL MNTS (302)		8			48644									
▶ SILVER (302S)		8			48646									
▶ SINGLE SIX & SUPER SINGLE SIX (314)		8			48643									
▶ SECURITY SIX (305)		8			48640									
▶ BLACKHAWK & SUPER BLACKHAWK (301)		8			48638									
▶ SILVER (301S)		8			48635									
▶ REDHAWK (308S) SILVER		8			48648									
▶ MARK II PISTOL, STANDARD MODELS (306)		8, 13			48641									
▶ SILVER (306S)		8, 13			48637									
SAKO														
▶ L579			72	71										
▶ 72, 75 & 78			85	85										
▶ FINNWOLF				53		49725								
▶ FORESTER, FINNBEAR & VIXEN (TAPERED DOVETAILS)			67	65									48962	
▶ WHITETAIL HUNTER			61	61										
▶ MATTE			61M	61M		49727			S61	S61				
▶ SILVER			61S	61S										
SAUER														
200			35	35			40A							
▶ MATTE			35M	35M		40A-M	40A-M		S35	S35	S40A	S40A		
▶ SILVER			35S	35S		40A-S	40A-S							
▶ 202									S459	S460				
▶ SHR 970			25	25		49720			S25	S25				
SAVAGE														
▶ 3			16	21				2						
▶ 4 & 5			12	13				2						
▶ 6 & 7			12	12				2						
▶ 29 (ROUND BARREL)			11	22										
▶ 19 & 23			15	16				2						
▶ 20, 340, 340E, 342, 840 & 842E		14						1						
▶ 24		17			74									
▶ 24 & 900S (.22 CAL RIFLES W/GROOVED RECEIVERS)		12												
▶ 25 (OCTAGON BARREL)			19	31										
▶ 40 & 45			11	11				2						
▶ 67 SHOTGUN					93		49714							
▶ 93F HEAVY BARREL			16	16										
▶ 99, 1895 & 1899			14	19									48956	
▶ 170					62		49715							
▶ 219			12	30				2						
▶ 10, 12 & 16 (SHORT ACTIONS), STRIKER, PSTL, 510, 512, 516 S/A, 10 ML (2-PIECE ONLY) PRE 2003 MODELS		22	61	46		402						48920	48902	
▶ MATTE		22	61M	46M		402M			S61	S46	S402		48903	
▶ SILVER		22	61S	46S		402S							48972	
▶ 110, 112, 116 (LONG ACTIONS); 210 SHTG (USE X-HIGH RINGS) PRE 2003 MODELS		22	61	46	413	402		1				48918	48902	
▶ MATTE		22	61M	46M		402M	49717		S61	S46	S402		48903	
▶ SILVER		22	61S	46S		402S							48972	
▶ 2400			67	65										
▶ 10, 12, 110, 112 SERIES, W/ ACCUTRIGGER,, STEVENS 200, 10 ML II		22, 25	46	46		402								
▶ MATTE		22	46M	46M		402M	402M		S46	S46	S402	S402	48906	
▶ SILVER		22	46S	46S		402S	402S							



WEAVER® MOUNT APPLICATIONS CHART		NOTES	TOP MOUNT BASES						STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES	
MAKE: MODEL OF FIREARM COLOR INDICATES FINISH: GLOSS BLACK MATTE BLACK SILVER			STANDARD			EXTENSION			COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC
REAR	FRONT		1-PC	REAR	FRONT	REAR	FRONT	REAR			FRONT	REAR	FRONT			
THOMPSON CENTER (CONTINUED)																
▶ CONTENDER HANDGUN & CONTENDER CARBINE RIFLE					92A											
▶ SILVER					92AS											
▶ SCOUT RIFLE & SCOUT PISTOL					404											
▶ TCR					405											
▶ THUNDERHAWK & FIREHAWK (2EA. PER PKG.)			406	406				49736								
▶ SILVER			406S	406S												
▶ TRADITIONAL STYLE MUZZLELOADERS, NEW ENGLANDER		19			408											
▶ ENCORE, OMEGA					410									48926		
▶ SILVER					410S											
▶ SYSTEM 1 & BLACK DIAMOND (2EA. PER PKG.)			411	411												
▶ SILVER			411S	411S												
TIKKA																
▶ TIKKA W/FLAT RECEIVER			61	61				49727			S61	S61				
▶ MATTE			61M	61M												
▶ SILVER			61S	61S												
▶ SAKO DESIGN W/TAPERED DOVETAIL			67	65												
TRADITIONS																
▶ WHITETAIL W/OCTAGON RECEIVERS		17	61A	61A												
▶ IN-LINE MUZZLELOADERS W/ROUND RECEIVERS - MATTE			418M	418M												
▶ SILVER			418S	418S												
U. S. CARBINE																
▶ M1 CARBINE 30 CAL.		20								M						
VALMET																
▶ TAPERED DOVETAIL, SAKO DESIGN			67	65												
VOERE																
▶ 2130		4	28	28												
▶ 2150, 2165/1, 2165/2, 2165/3 & 2165/4 (MAUSER ACTION)			45	46			402	49721			S45	S46	S402			
▶ SILVER			45S	46S												
WEATHERBY																
▶ VANGUARD		1, 22	36	35			40A							48912	48900	
▶ MATTE		1, 22	36M	35M			40A-M				S36	S35	S40A	48913	48901	
▶ SILVER		1, 22	36S	35S			40A-S									
▶ MARK V STD. CAL INCL. 240MAG, CENTERFIRE PISTOL, 224 VARMINTMASTER, ULTRA LIGHTWEIGHT			36	415												
▶ MATTE			36M	415M												
▶ SILVER			36S	415S												
▶ FN MAUSER STYLE ACTIONS			45	46			402	49721	5		S45	S46	S402			
▶ SILVER			45S	46S			402S									
▶ MARK V MAG. CAL EXCEPT 240 MAG.			424	35											48976	
▶ MATTE			424M	35M			40A-M									
WESTERN FIELD																
▶ 712		6								1						
▶ 730			25	11												
▶ 740					63B			49713								
▶ SILVER					63BS											
▶ 750			67	65												
▶ 770			55	20A												
▶ 772					80											
▶ 775 & 780			55	55							S55	S55				
WINCHESTER (INCLUDES RANGER MODELS)																
▶ 03 & 63			19	22						2						
▶ 06, 62, 62A & 90 W/OCTAGON BARREL			32	32												
▶ 05, 07 & 10			20A	17												
▶ 42										2						
▶ 43			18	18												
▶ 52 (HOLE SPACING DIFFERENT)		6, 9	25	57						2						
▶ 52 (HOLE SPACING SAME)		6, 9	46	46			402		2							
▶ MATTE		6, 9	46M	46M			402M	402M			S46	S46	S402	S402		
▶ SILVER		6, 9	46S	46S			402S	402S								



WEAVER® MOUNT APPLICATIONS CHART	NOTES	TOP MOUNT BASES					STEEL LOCK MOUNTS	SIDE MOUNT	GRAND SLAM™ STEEL TOP MOUNT BASES				GRAND SLAM™ DOVETAIL BASES		
		STANDARD			EXTENSION		COMPLETE SYSTEM	USE ONLY WITH SIDE MT BRACKET	STANDARD		EXTENSION		1-PC	2-PC	
		REAR	FRONT	1-PC	REAR	FRONT			REAR	FRONT	REAR	FRONT			
WINCHESTER (CONTINUED)															
▶ LEVER ACTIONS 53, 55, 64, 65, 66, 71, 1886, 1892, 95 & 1895	4							3A							
▶ 54, & EARLY MOD. 70 W/SERIAL NO. BELOW #66 350	6	48	46			402		1							
▶ 57 & 69		12	13					2							
▶ 60, 67 & 68	6	21	21												
▶ 61 W/ROUND BARREL		19	13					2							
▶ 61 W/OCTAGON BARREL		25	32					2							
▶ 69A, 72 & 47		12	17					2							
▶ 70 LONG ACTION (HOLE SPACING SAME), 670, 770	9	47	46	96		402		1					48938	48908	
▶ MATTE		47M	46M			402M	49718		S47	S46		S402		48909	
▶ SILVER		47S	46S			402S									
▶ 70 LONG ACTION (HOLE SPACING DIFFERENT) & 70 SUPER EXPRESS	9	49A	46			402			S49A	S46		S402			
▶ 70 SHORT ACTION (1984+)		47	46	99		402		1					48940	48908	
▶ MATTE		47M	46M			402M	49718		S47	S46		S402		48909	
▶ SILVER		47S	46S			402S									
▶ 70 WSSM		428	46											48907	
▶ 70 W/SERIAL NO BELOW 66 350 (PRE '64)													48936		
▶ 70 LONG ACTION, REAR HOLE SPC. .435"														48934	
▶ 74		12	12					2							
▶ 75 SPORTER		15	30					2							
▶ 75 TARGET		15	16					2							
▶ 77		15	32					2							
▶ 88 & 100				53			49725						48942		
▶ 94 PRE '64								3D							
▶ 94 POST '64 & 94 TRAPPER								3B							
▶ 94 BIG BORE 375								3C							
▶ 94 ANGLE-EJECT BIG BORE		95	403												
▶ 94 ANGLE-EJECT (EXCEPT EARLIEST MODELS)		95	94				49716						48944		
▶ 94/22	16				T0-10										
▶ 520		85	85												
▶ 777		71	71												
▶ 1200 & 1500 SHOTGUNS (SEE CONVERTA MOUNT SYSTEMS)															
▶ 1300 & 1400 SHOTGUNS (ALSO SEE CONVERTA MOUNT SYS) MATTE	25				416M										
▶ 50 SHOTGUN								8							
▶ X-150, APEX MUZZLELOADERS (MATTE)		418M	418M												
▶ SILVER		418S	418S												

NOTES

- Shimming is probably required for perfect scope alignment.
- Rear base may require modifications for correct fit to military actions.
- Front base may require modification for correct fit.
- Gun will have to be drilled and tapped.
- Front base screws must be shortened by grinding.
- May require bolt and/or safety alteration, otherwise firearm cannot function safely and properly. Consult with a qualified gunsmith.
- BASE DOES NOT FIT ROSSI LARGE FRAME MATCHED PAIR COMBOS (ALL MODELS WITH 20 OR 12 GA SHOTGUN BARRELS).
- Remove rear sight to use.
- The handiest way to pinpoint the correct base for the Win. 52 & Win. 70 Long action Rifles is to check the spacing of the tapped holes for the rear base and compare it to the hole spacing for the front base. Does it have:

HOLE SPACING THE SAME	HOLE SPACING IS DIFFERENT
Model 52 Use 46+ 46	Model 52 Use 25+ 57
Model 70 Use 47+ 46	Model 70 Use 49A+ 46
- The Weaver type base built into this rifle will accept Weaver rings but our highest ring (1" See-Thru #49513) still isn't high enough to clear the front sight.
- The Weaver type base built into this firearm will accept any Detachable Top Mount Weaver Ring.
- Rifle has Grooved Receiver for Tip-Off Rings.
- Ruger Mark II Pistols. Weaver only offers a clamp on base with 1" rings (Pistol Mount System #306). Ruger supplies a short or long base and 1" or 30mm rings w/factory drilled and tapped pistols. Contact Ruger at 602-778-6555 for these items.
- Bolt Clearance problem may exist and scope will not be centered.
- Base accepts Tip-Off Rings only.
- T0-9, T0-10 & T0-11 bases accept either Detachable Top Mount Rings or Tip-Off Rings. Each have crossbolt slots and 3/8" grooves for both applications.
- Must be factory drilled and tapped.
- One-Piece base attaches to barrel and extends back over receiver.
- Requires the use of Thompson/Center base adapter.
- Requires drilling and tapping 4 holes in receiver and relief space cut in stock to clear base.
- Rear base is positioned on top of receiver and front base is positioned on the barrel. Drilling & tapping required. One-piece base mounts w/2 set screws & newer guns are factory drilled & tapped.
- For shorter tube scopes or red dot scopes use #402 extension front base or one-piece base if available. Extension base allows an extra .689".
- WARNING: NOT FOR USE WITH X-FRAME REVOLVERS. USE ON FIREARMS OTHER THAN THOSE LISTED MAY CAUSE INJURY.
- Top mount base is designed to fit 12GA models only.
- Can be used with Tactical Multi Slot bases.



AMMUNITION SYSTEMS

ATK Ammunition Systems Group is a unique collection of brands that gives shooting and outdoor enthusiasts everything they need in one place. From ammunition and reloading equipment to gun clean-

ing chemicals and accessories, ATK Ammunition Systems Group offers advanced, high-performance products. Look for these leading suppliers under the ATK Ammunition Systems Group umbrella.



www.alliantpowder.com
1-800-276-9337



www.intensityoptics.com
1-800-635-7656



www.speer-bullets.com
1-866-286-7436



www.federalpremium.com
1-800-831-0850



www.championtarget.com
1-800-635-7656
1-800-441-4971 (Clays)



www.ram-line.com
1-800-635-7656



★★★★★★★★★
www.outers-guncare.com
1-800-635-7656



www.weaver-mounts.com
1-800-635-7656



www.rcbs.com
1-800-533-5000



www.nitrexoptics.com
1-800-635-7656



www.speer-ammo.com
1-866-286-7436



www.fusionammo.com
1-800-831-0850



www.gunslick.com
1-800-635-7656



www.cci-ammunition.com
1-866-286-7436



www.estatecartridge.com
1-800-831-0850



www.blazer-ammo.com
1-866-286-7436



www.shootersridge.com
1-800-635-7656

WE PROUDLY SUPPORT

DUCKS UNLIMITED. • THE FOUNDATION FOR NORTH AMERICAN WILD SHEEP. • IZAAK WALTON LEAGUE OF AMERICA.
THE NATIONAL WILD TURKEY FEDERATION • PHEASANTS FOREVER. • THE ROCKY MOUNTAIN ELK FOUNDATION. • SAFARI CLUB INTERNATIONAL.
WHITETAILS UNLIMITED. • BECOMING AN OUTDOORS WOMAN. • WOMEN IN THE OUTDOORS. • 4-H SHOOTING SPORTS PROGRAM.
THE BOY SCOUTS OF AMERICA. • INTERNATIONAL HUNTER EDUCATION ASSOCIATION, AND CIVILIAN MARKSMANSHIP PROGRAM.